



Map 1: SUITABILITY FOR UPLAND RICE (high capital input) IN PAPUA NEW GUINEA




Source: PNG Resource Information System, by DNL Land Utilisation Section

Map 2: SUITABILITY FOR MAIZE (high capital input) IN PAPUA NEW GUINEA




Source: PNG Resource Information System, by DNL Land Utilization Section

Map 3: SUITABILITY FOR POTATO (high capital input) IN PAPUA NEW GUINEA




Source: PNE Resource Information System, by DNL Land Utilization Section

Map 4: SUITABILITY FOR PINEAPPLE (low capital input) IN PAPUA NEW GUINEA




Map 5: SUITABILITY FOR CASHEW (low capital input) IN PAPUA NEW GUINEA




Source: PNG Resource Information System, by D.L. Land Utilization Section

Map 6: SUITABILITY FOR MANGO (low capital input) IN PAPUA NEW GUINEA




Source: PWD Resource Information System, by DHI Lemf Utilization Section

Map 7: SUITABILITY FOR CITRUS (low capital input) IN PAPUA NEW GUINEA




Source: PNVF Resource Information System, by DNL Land Utilisation Section

Map 8: SUITABILITY FOR OIL PALM (low capital input) IN PAPUA NEW GUINEA




Source: PNG Resource Information System, by DNL Land Utilization Section

Map 9a: SUITABILITY FOR ARABICA COFFEE (low capital input) IN PAPUA NEW GUINEA



Map 9b: SUITABILITY FOR ROBUSTA COFFEE (low capital input) IN PAPUA NEW GUINEA



Source: PWD Resource Information System, by DNL Land Utilisation Section